MyCARE


With me, every step of the way




മ്മ് നിങ്ങൾക്കുള്ള ഹൈപ്പോഗ്ലൈസീമിയയുടെ ചിഹ്നങ്ങളും ലക്ഷണങ്ങളും അറിഞ്ഞിരിക്കേണ്ടത് പ്രധാനമാണ്




കാരണം ഓരോ വ്യക്തിക്കും ഹൈപ്പോഗ്ലൈസീമിയയോടുള്ള പ്രതിപ്രവർത്തനം വ്യത്യസ്തമാണ്.



ലഘുവോ മിതമോ ആയ ലക്ഷണങ്ങൾ



വിറയൽ അല്ലെങ്കിൽ കിടുക്കം



വിശപ്പ്



ക്ഷീണം




തലകറക്കം, തലക്കകത്ത് കനക്കുറവ്, ആശയക്കുഴപ്പം, അല്ലെങ്കിൽ പ്രകോപനം



അതിവേഗമായ അല്ലെങ്കിൽ ക്രമം തെറ്റിയ ഹൃദയ മിടിപ്പ്



തലവേദന




വ്യക്തമായി കാണാൻ അല്ലെങ്കിൽ സംസാരിക്കാൻ കഴിയുന്നില്ല





ബോധം നഷ്ടമാകൽ



ചുഴലി ബാധിക്കൽ

കടുത്ത ഹൈപ്പോഗ്ലൈസീമിയ ജീവന് ഭീഷണിയാണ് അതിനാൽ ഉടനടി ചികിത്സ ആവശ്യമാണ്



44 കൂടുതൽ വിവരങ്ങൾക്ക്, നിങ്ങളുടെ ഡോക്ടറെ അല്ലെങ്കിൽ നിങ്ങളുടെ MyCARE ഡയബെറ്റിസ് എജ്യുകേറ്ററെ ബന്ധപ്പെടുക





Reference

 National Institute of Diabetes, Digestive and Kidney Diseases. Low Blood Glucose (Hypoglycemia) | NIDDK. Available at https://www.niddk.nih.gov/health-information/diabetes/overview/ preventing-problems/low-blood-glucose-hypoglycemia. Accessed 1st Dec 2021



The guide/presentation/content/literature is for general information, guidance and educational purposes only and is not complete or exhaustive. The guide /presentation/content/literature is not intended or implied to replace or substitute any current practice and or advice/guidance/diet provided by healthcare professionals. This guide/presentation/content/literature does not constitute any treatment/therapy/medication/diet/opinions for any patients who are on diabetes medication, the patients are required to prior consult their healthcare professional before acting on any change on treatment/therapy/medication/diet and/or opinions. USV Private Limited makes no representations as to accuracy, completeness, correctness, suitability or validity of any information contained in this guide/presentation/content/ literature and will not be liable for any losses, injuries or damages arising from its use.

